

Keeping track of objects while exploring an informationally impoverished environment: Local deictic versus global spatial strategies

Nicolas J. Bullot, Jacques Droulez, Zenon W. Pylyshyn

► **To cite this version:**

Nicolas J. Bullot, Jacques Droulez, Zenon W. Pylyshyn. Keeping track of objects while exploring an informationally impoverished environment: Local deictic versus global spatial strategies. Journal of Vision, Association for Research in Vision and Ophthalmology, 2003, 3 (9), pp.323a-323a. <ijn_00000454>

HAL Id: ijn_00000454

https://jeannicod.ccsd.cnrs.fr/ijn_00000454

Submitted on 5 Apr 2004

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Volume 3, Number 9,
Abstract 323, Page 323a doi:10.1167/3.9.323 <http://journalofvision.org/3/9/323/> ISSN 1534-7362

Keeping track of objects while exploring an informationally impoverished environment: Local deictic versus global spatial strategies

Nicolas J. Bullot Rutgers Center for Cognitive Science, USA 

Jacques Droulez Laboratoire de Physiologie de la Perception et de l'Action, Collège de France, France

Zenon Pylyshyn Rutgers Center for Cognitive Science, USA

Abstract

This study investigates a new experimental paradigm called the Modified Traveling Salesman Problem (Bullot & Droulez, submitted). This task requires subjects to visit once and only once n invisible targets in a 2D display, using a virtual vehicle controlled by the subject. Subjects can only see the directions of the targets from the current location of the vehicle, displayed by a set of oriented segments that can be viewed inside a circular window surrounding the vehicle. Two conditions were compared. In the "allocentric" condition, subjects see the vehicle move across the screen and change orientation under their command. The "egocentric" condition is similar except for how the information is provided: the position and orientation of the vehicle icon remains fixed at the center of the screen and only target directions, as indicated by the oriented segments, change as the subject "moves" the vehicle. The unexpected finding was that this task can be performed, in either condition, for up to 10 targets. We consider two possible strategies that might be used, a location-based strategy and a segment strategy. The location-based strategy relies on spatial memory and attempts to infer the locations of all the targets. The segment strategy is more local and focuses on the directional segments themselves, keeping track of the ones that represent already-visited targets. A number of observations suggest that the segment strategy was used, at least for larger numbers of targets. According to our hypothesis, keeping track of the segments requires one to use indexical reference for associating the segments with their status in the task - given by current status predicates Visited(x) or Not-visited(x) -, perhaps using visual indexes (Pylyshyn, 2001), deictic pointers (Ballard et al., 1997), or object files (Kahneman et al, 1992).

History

Received August 22, 2003; published October 22, 2003

Citation

Bullot, N. J., Droulez, J., & Pylyshyn, Z. (2003). Keeping track of objects while exploring an informationally impoverished environment: Local deictic versus global spatial strategies [Abstract]. *Journal of Vision*, 3(9), 323a, <http://journalofvision.org/3/9/323/>, doi:10.1167/3.9.323.

Keywords

None

On-Line Presentation

None

[Search PubMed](#)

for related articles by these authors

[Search Journal of Vision](#)

for papers that cite this paper