

Keeping track of objects while exploring a spatial layout with partial cues: Location-based and direction-based strategies [Abstract]

Nicolas J. Bullot, Jacques Droulez, Camille Morvan, Zenon W. Pylyshyn

► **To cite this version:**

Nicolas J. Bullot, Jacques Droulez, Camille Morvan, Zenon W. Pylyshyn. Keeping track of objects while exploring a spatial layout with partial cues: Location-based and direction-based strategies [Abstract]. Vision Sciences, Sarasota (Florida, USA), Association for Research in Vision and Ophthalmology, pp.364a, 2004. <ijn_00000541>

HAL Id: ijn_00000541

https://jeannicod.ccsd.cnrs.fr/ijn_00000541

Submitted on 19 Oct 2004

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Keeping track of objects while exploring a spatial layout with partial cues: Location-based and direction-based strategies

Nicolas J. Bullot

LPPA/CNRS, College de France, France

Jacques Droulez

LPPA/CNRS, College de France, France

Camille Morvan

LPPA/CNRS, College de France, France

Zenon W. Pylyshyn

RuCCS, Rutgers University, USA

Abstract

Last year at VSS, Bullot, Droulez & Pylyshyn (2003) reported studies using a Modified Traveling Salesman Paradigm (MTSP) in which a virtual vehicle had to visit up to 10 targets once and only once, and in which the invisible targets were identified only by line segments pointing from the vehicle toward each target. We hypothesized that subjects used two distinct strategies: A "location-based strategy", which kept track of where targets were located in screen coordinates, and a "segment-based strategy" that kept track of which segments corresponded to visited targets. We report new studies that further explore these two strategies. Subjects passively observed a computer-controlled virtual vehicle that visited a number of targets. Two forms of display were used: an "Allocentric" display, in which the vehicle moved and the targets remained fixed in screen coordinates, and an "Egocentric" display, in which the vehicle's position on the screen remained fixed while the targets moved -- as if the environment were being viewed by an observer on the vehicle. At the end of each trial, the directional segments were extended to the edge of the screen and subjects were asked to perform two tasks by referring to these segments. In the "status task" observers had to indicate for each segment whether the corresponding target had been visited or not. In the "locating task" they had to locate each target along its directional segment. Performance on these two tasks measures the use of the two hypothesized strategies (segment-based and location-based). Results showed that observers do well on the status task with 4 or 6 targets in both display conditions, but do poorly on the locating task, especially in the egocentric condition when there are more targets. These results are consistent with the hypothesis that in the egocentric condition the MTSP task is carried out primarily by segment-tracking, which can be viewed as a deictic strategy (Ballard et al., 1997; Pylyshyn, 2001).

History

Received June 9, 2004; published August 13, 2004

Citation

Bulot, N. J., Droulez, J., Morvan, C., & Pylyshyn, Z. W. (2004). Keeping track of objects while exploring a spatial layout with partial cues: Location-based and direction-based strategies [Abstract]. *Journal of Vision*, 4(8), 364a, <http://journalofvision.org/4/8/364/>, doi:10.1167/4.8.364.

Keywords

None

On-Line Presentation

None

[Search PubMed](#)

for related articles by these authors

[Search Journal of Vision](#)

for papers that cite this paper

© 2004 ARVO