

The psychology of indicative conditionals and conditional bets

Jean Baratgin, G. Politzer, D.P. Over

► **To cite this version:**

Jean Baratgin, G. Politzer, D.P. Over. The psychology of indicative conditionals and conditional bets. 2013. <ijn_00834585>

HAL Id: ijn_00834585

https://jeannicod.ccsd.cnrs.fr/ijn_00834585

Submitted on 16 Jun 2013

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

J. BARATGIN
G. POLITZER
D. OVER

The psychology of indicative conditionals and conditional bets

1 **Abstract.** There is a new Bayesian, or probabilistic, paradigm in the psychology of rea-
2 soning, with new psychological accounts of the indicative conditional of natural language.
3 In psychological experiments in this new paradigm, people judge that the probability of
4 the indicative conditional, $P(\textit{if } A \textit{ then } C)$, is the conditional probability of C given A ,
5 $P(C | A)$. In other experiments, participants respond with what has been called the ‘de-
6 fective’ truth table: they judge that *if A then C* is true when A holds and C holds, is false
7 when A holds and C does not, and is neither true nor false when A does not hold. We
8 argue that these responses are not ‘defective’ in any negative sense, as many psychologists
9 have implied. We point out that a number of normative researchers, including de Finetti,
10 have proposed such a table for various coherent interpretations of the third value. We
11 review the relevant general tables in the normative literature, in which there is a third
12 value for A and C and the logically compound forms of the natural language conditional,
13 negation, conjunction, disjunction, and the material conditional. We describe the results
14 of an experiment on which of these tables best describes ordinary people’s judgements
15 when the third value is interpreted as indicating uncertainty.

16 *Keywords:* Bayesian account of reasoning; probability conditional; uncertainty and three-
17 valued tables; de Finetti tables

18 Introduction and overview

19 Researchers working in the field of the psychology of reasoning have generally
20 selected some theoretical model to establish a referential norm of ‘rational
21 inference’. Many psychological studies consist of comparing participants’ re-
22 sponses to the results prescribed by such a normative model. Psychologists
23 have traditionally assumed that there are different psychological processes
24 corresponding to the subject divisions of the field: judgement and decision-
25 making, probability judgement / inductive reasoning, and deductive reason-
26 ing. The three major normative models used are (i) the *Subjective Expected*
27 *Utility Theory* in decision theory studies, (ii) the *Bayesian model* in the
28 context of probability judgement and induction (iii) extensional bivalent
29 *Propositional Logic* for deductive reasoning. However the choice of a spe-
30 cific normative model for a given field has deep epistemological implications
31 (for probability judgement see [2, 5, 6]). More drastically, theorists have

Presented by **Name of Editor**; Received October 1, 2012

32 increasingly objected to the very segmentation of inferences in the tradi-
 33 tional approach. Indeed, there is a *new Bayesian paradigm* that seeks to
 34 integrate the psychology of reasoning. It holds that people, in everyday and
 35 scientific contexts, tend to reason under uncertainty even when carrying out
 36 a deductive task. In this new paradigm, *rationality* is defined in terms of
 37 Bayesian probability theory rather than with reference to extensional logic
 38 ([54, 55, 58]). But a great deal of psychological research will be necessary
 39 to identify the logic system(s) underlying everyday reasoning in natural lan-
 40 guage and to determine its compatibility with Bayesian theory. The present
 41 paper aims to sketch a method to identify the kind of logic that underlies
 42 lay peoples' reasoning; it adopts the standpoint of the new paradigm and
 43 introduces uncertainty as a third value¹ in addition to truth and falsity.

44

45 Two experimental findings have given considerable impetus to the new Baye-
 46 sian paradigm in the psychology of reasoning and its aim of explaining rea-
 47 soning under uncertainty ([3, 33, 54, 55, 58, 60]).

48

49 The first finding is the confirmation of the *conditional probability hypoth-*
 50 *esis* that people judge the probability of the natural language indicative
 51 conditional, *if A then C*, to be the conditional probability of *C* given *A*,
 52 $P(C | A)$ and not the probability of the material conditional ($P(A \supset C)$)
 53 equivalent to *not-(A & not-C)*, as commonly assumed in the old paradigm.
 54 This relationship, $P(\text{if } A \text{ then } C) = P(C | A)$, has such far reaching impli-
 55 cations that it is sometimes called *the Equation* in both philosophy ([31])
 56 and psychology ([54, 55]). It has been strongly supported in a wide range of
 57 experiments ([27, 34, 35, 39, 56, 59, 61]).

58

59 The second finding is what has long been called the *defective truth table*
 60 in psychology (see [36]). Participants are given *truth table tasks* and asked
 61 to make a judgement about a natural language indicative conditional, *if A*
 62 *then C*, when given rows of the table. The main result of these experiments
 63 is that people do not give the material conditional truth table. They judge
 64 that *if A then C* is true when *A & C* holds and false when *A & not-C* holds,
 65 but that *not-A & C* and *not-A & not-C* are irrelevant to the truth value of
 66 *if A then C*, and that *if A then C* is neither true nor false when either of
 67 these *not-A* rows hold (see [61]).

68

¹We will restrict ourselves to three values in this paper and so not divide uncertainty into degrees of uncertainty or subjective probability here.

69 *The Equation* and the *defective truth table* are fundamental to the seman-
 70 tics of what has been called the conditional event ([21]) and the probability
 71 conditional ([1]), and we will use these terms equivalently in this paper².
 72 There are philosophical and logical reasons ([31]), and empirical grounds
 73 ([36, 54, 55, 60]), for concluding that the indicative conditional of natural
 74 language is a probability conditional. [61] give theoretical reasons (going
 75 back to de Finetti [21, 22] and Ramsey [63]) and experimental support for
 76 closely comparing the natural language indicative conditional as a proba-
 77 bility conditional with a conditional bet in natural language. A bet on the
 78 natural language conditional, of the form *We bet that if A then C*, has three
 79 values. It is won when $A \& C$ holds, lost when $A \& \text{not-}C$ holds, and void
 80 or called off in *not-A* cases, and the probability of winning it, and the fair
 81 betting odds for it, is given by $P(C | A)$. In [61], approximately 80% of
 82 participants answer that the bet is called off when the antecedent is false
 83 (see also [26], p. 166, note 9 for similar results).

84
 85 From this point of view, to assert an indicative conditional is to perform
 86 a conditional speech act, a conditional assertion, which is like other condi-
 87 tional speech acts, a conditional bet or, for another example, a conditional
 88 promise, *We promise that if A then C*. These speech acts are void when
 89 *not-A* holds, in the sense that there is then no assertion, no bet, and no
 90 promise.

91
 92 There is, however, another way to look at the third value in a three-valued
 93 table that is well represented in logical and philosophical research on the
 94 conditional event and probability conditional, but not so far in psychology.
 95 In this view, the third value is seen as *uncertainty* (noted from now on ‘*U*’).
 96 A state of uncertainty can of course easily arise for the categorical compo-
 97 nents, *A* and *C*, of an indicative conditional and a conditional bet. We can
 98 be uncertain whether *A* or whether *C* holds, and the result is that the truth
 99 table for both conditionals expands from a 2×2 table to a 3×3 table. Con-
 100 sider the example (similar to one in the [59] experiments):

101
 102 If the *USA* economy grows this year (*USA*), then the French economy will
 103 also grow (*FRA*).

104

²However, [51] points out that logical validity can be defined in terms of probability, as suggested by *the Equation* ([31, 1]), or directly in terms of preserving values in de Finetti or other tables, and that these two types of definition validate different patterns of conditional inference.

105 We might have enough economic data on both countries to know that *USA*
 106 and *FRA* are true or false, but we might also be waiting for data on either
 107 country or both, keeping us uncertain about *USA* or *FRA* or both. Taking
 108 the third value as uncertainty in this way, we can also have extended tables
 109 for negation, *not-USA*, conjunction, *USA & FRA*, disjunction, *USA or FRA*,
 110 and the material conditional, *not-(USA & not-FRA)*. One object of our ex-
 111 perimental research has been to run the first psychological experiments in
 112 which there is uncertainty about the components of natural language in-
 113 dicative conditionals and bets on these, and on negations, conjunctions,
 114 disjunctions, and the material conditional. These experiments can give us
 115 evidence on how people classify these statement forms when they are uncer-
 116 tain and give further support to the project of explaining reasoning under
 117 uncertainty.

118 1. The defective table is not defective in the new paradigm

119 Wason [71] was the first psychologist to give truth table tasks about indica-
 120 tive conditionals to ordinary people and to discover that their judgements
 121 had three values (true *T*, false *F*, and irrelevant *I*).

		C	
	<i>if A then C</i>	<i>T</i>	<i>F</i>
A	<i>T</i>	<i>T</i>	<i>F</i>
	<i>F</i>	<i>I</i>	<i>I</i>

Table 1. Participants' truth table built for *if A then C* (with *I* for irrelevant)

122 In [71], Wason did not use the term *defective* for the resulting Table 1. [46]
 123 were apparently the first psychologists to use *defective* for the table 1, and
 124 after their article, the rather negative term *defective* came to be used more
 125 and more. Until very recently, the implication of most psychological research
 126 on the *defective* table was that people were somehow *defective* in failing to
 127 conform to a binary classification. There was no awareness shown in the
 128 psychological literature, until the recent development of the new paradigm
 129 ([3, 61]), that an identical table had been proposed by several philosophers
 130 in their analysis of *if* in ordinary language with different interpretations of
 131 the third value. Quine [62] (referring to Rhinelander) gives a table with a
 132 value like irrelevance for a conditional with a false antecedent. O'Connor
 133 [57] defines a table analogous to Table 1 with a third *undetermined* value.
 134 Dummet [29] presents a table similar to Table 1 where the third value cor-
 135 responds to *neither true nor false* (see also [45]). Kneale and Kneale [47],

136 suggest Table 1 where the value I characterizes a *gap* value³.

137

138 Following this point of view, I is considered as a third value that reflects a
 139 state of *uncertainty*, U . We argue that participants' answers in truth-table
 140 tasks yield a *coherent* table for the conditional under uncertainty, and there
 141 is no supposedly *defective* table signifying a failure to understand the condi-
 142 tional. This position is central to the new paradigm, but should be followed
 143 by a full formal model of this coherent table with uncertainty. We must
 144 specify the complete conditional truth table(s) and more generally define
 145 the associated three-valued logic system(s).

146

147 We designed novel experimental materials to allow us to establish partic-
 148 ipants' truth-tables for a conditional in which the antecedent and the con-
 149 sequent could be true, false, or uncertain. As noted by Jeffrey [45], a table
 150 similar to Table 1 does not fully characterise a three-valued truth-table for
 151 the conditional *if A then C*, noted from now, following de Finetti's conven-
 152 tion ([21]), as $C | A$. The U value in the body of Table 1, in the cases where
 153 the antecedent is false, refers to a third value that must also be present in
 154 the margins, as the antecedent or consequent can also be uncertain. Hence
 155 Table 1 should be extended to a table with the following Table 2 format.

		C		
		T	U	F
A	T	T	?	F
	U	?	?	?
	F	U	?	U

Table 2. The coherent truth-value table format for the conditional (with U for uncertain)

156 We presented participants in our experiment with a logically compound sen-
 157 tence about a random chip, such as the natural language conditional *if the*
 158 *chip is square then it is black*. The chips referred to could be in two colours,
 159 black or white, and two shapes, square or round. In one scenario, the task
 160 was to judge whether *if S then B* was true, false, or neither. In the other
 161 scenario, the task was to judge whether bet on *if S then B* was won, lost,
 162 or neither. In both scenarios, there were two conditions of visibility (rep-
 163 resented on a computer). One, the chip was seen through a transparent

³In this gap interpretation, [47, p. 128] use also the term *defective* in a different sense than psychologists do: *defective* for *defective truth function*. In a similar gap interpretation Holdcroft uses the term *defective table* for Table 1 (see [44, p. 124]).

164 window, making S clearly true when the chip was square or clearly false
 165 when S was round, and similarly for B and black or white. Two, the chip
 166 was seen through a filtering window making it visually uncertain whether
 167 the chip was square or round, or whether it was black or white. This tech-
 168 nique allowed us to fill up the nine cells of a three-valued truth-table with
 169 the participants' responses. The same materials were used for logical com-
 170 pounds of the other connectives: negation $not-S$, conjunction $S \ \& \ B$, and
 171 disjunction $S \ or \ B$. And there was finally a material conditional expressed
 172 in the form $not-(S \ \& \ not-B)$.

173

174 Another aspect of our work consisted of a comprehensive review of the
 175 logical, linguistic, philosophical, and AI literatures on three-valued logics.
 176 Probability theorists, particularly de Finetti [22], and other logicians and
 177 philosophers have given normative reasons for adopting three-valued sys-
 178 tems that include a conditional table with the Table 2 format ([50]). After
 179 this review, we could compare our experimental results with the reviewed
 180 systems. Before we describe our results, we will summarize our review of
 181 the relevant three-valued tables in the normative literature.

182 2. Possible three-valued tables for the psychology of the in- 183 dicative conditional

184 Consider the range of possibilities for completing Table 2. The basic question
 185 is what should be in the place of each '?' in Table 2: T , U , or F ? There
 186 are, in theory, 243 possible tables (3^5). The same question arises for other
 187 connectives - negation, conjunction disjunction, and the material conditional
 188 - that can also be given general three-valued tables. Fortunately, we do
 189 not start from a tabula rasa. Among numerous possible three-valued logics
 190 ([19, 41, 67]), the formal literature contains nine three-valued logic systems
 191 that are an extension of Table 1 for the conditional but also extend the
 192 bi-valued logic for all other connectives. This is the connective that de
 193 Finetti [21] called the conditional event and symbolized as $C \mid A$.⁴ Such a
 194 conditional has the fundamental property (I):

$$C \mid A = C \wedge A \mid A \tag{I}$$

⁴Any event C can be written in a conditional form $C \mid T$, where T is a tautology. Thus any three-valued connective table presented herein can be seen as a connective compounded with a conditional.

195 Three different extended conditional tables, which we call *de Finetti*, *Farrell*
 196 and *Cooper* conditional tables⁵, can be distinguished. These three tables
 197 can be used to categorise the nine systems.

198 2.1. Nine three-valued systems

199 All nine systems have involutive negation (\neg). The conjunctive and disjunc-
 200 tive connectives are of four types: (i) Kleene-Lukasiewicz-Heiting (noted \wedge_K
 201 and \vee_K , (ii) Sobociński (noted \wedge_S and \vee_S), (iii) Bochvar (internal) (noted
 202 \wedge_B and \vee_B) and (iv) McCarthy connectives (noted \wedge_M and \vee_M). The sys-
 203 tems explicitly incorporate a material conditional connective and thus also
 204 a material bi-conditional⁶. Six kinds of material conditional are proposed:
 205 (i) Kleene (\supset_K), (ii) Lukasiewicz, (\supset_L), (iii) Sobociński (\supset_S), (iv and v)
 206 Bochvar (internal and external) (\supset_B) and (\supset_{Be}) and (vi) McCarthy (\supset_M).
 207 A further selection of three-valued logic systems can be made taking into
 208 account the main properties we can reasonably expect the connectives to
 209 have.

210 2.1.1. The extended *de Finetti* conditional event table

211 *De Finetti*'s conditional table (see [21]) has been proposed and discussed by
 212 several authors. However, they have not always considered a comprehensive
 213 three-valued logic system with basic connectives (see for example [32, 52]).
 214 Strangely enough these authors failed to attribute the table to de Finetti,
 215 and they actually rediscovered the table with different interpretations of the
 216 U value, depending on their research field. We consider seven three-valued

⁵We call the tables using the name of the author who first proposed them. The *Farrell* and *Cooper* conditional tables are found in the IA literature and are often called *Goodman* and *Calabrese* conditional tables. Jeffrey in [45] proposes 16 possible conditional tables that respect some of Jeffrey's chosen properties. Among them, there are the *Farrell* and *Cooper* tables. However, if Jeffrey has an intuitionist negation, he does not specify the conjunctive, disjunctive and implication connectives. Consequently we have not considered Jeffrey's tables in our review.

⁶The fact that a system includes both the conditional event and the material conditional in a three-valued system is consistent with psychological results. Recent experiments of natural language conditionals support the new paradigm in showing that participants respond with a conditional event table. However, there is a minority of participants whose responses are consistent with the material conditional table. This raises the possibility that people can have two conditional interpretations: (i) The natural *default* interpretation would be the conditional event and (ii) a more specific/elaborated interpretation could be triggered by a particular context, e.g. definitional, logico-mathematic, and would consist in a material conditional interpretation.

		C		
		T	U	F
C _F A	T	T	U	F
A	U	U	U	U
	F	U	U	U

Table 3. The extended *de Finetti* conditional event table $C |_F A$

217 logic systems in this category⁷.

218 **Fi system.** This system includes the conjunction \wedge_K and disjunction \vee_K
 219 as well as material conditional (\supset_K)⁸. It has been expounded in at least
 220 five different ways⁹.

221 i De Finetti defined **Fi** as a logic of probability that is a *superimposed*
 222 logic on a two-valued system (see [21, 23, 24, 25]). The third value
 223 represents doubt or uncertainty in an individual who is wondering
 224 whether a proposition is true or false. An event is always true or
 225 false, but there is a third case when the individual lacks the relevant
 226 knowledge and is uncertain. It is a ‘transitory’ subjective state of
 227 the individual, and the three-valued classification can become two-
 228 valued as knowledge increases. In this way, U is interpreted as a kind
 229 of ‘transitory’ value and not a third non-subjective value of the same
 230 type as truth or falsity¹⁰;

231 ii Hailperin (see [42, 43]) introduces **Fi** as the logic that supports con-
 232 ditional probability logic. $C |_F A$ is illustrated with a suppositional
 233 interpretation: *If A then C* interpreted as C , *supposing A* or *suppos-*
 234 *ing A, then C*. The value U represents the *undetermined, unknown*

⁷We regroup in the ‘same system’ the systems that propose the same set of connectives. The truth tables for the connectives are displayed in the Appendix A (see Tables 7 to 10).

⁸The bi-conditional connective \leftrightarrow_K is not often explicit

⁹Recently [68] endorses the same **Fi** system quoting de Finetti.

¹⁰The conditional event table is illustrated by a conditional bet interpretation: *If A then C* interpreted as a *bet that if A then C*. Thus if A and C are true the bet is won, if A is true and C is false the bet is lost and if A is false or A or C are unknown the bet is called off. Such a void or null bet could be seen as having a kind of extreme uncertainty. In de Finetti’s system, there are two additional connectives that allow to return to the bi-valued logic: a *Thesis* connective $T(A)$ which means ‘ A is true’, and a *Hypothesis* connective $H(A)$ which means ‘ A is not null’, $X = C |_F A$; $T(X) = C \wedge A$ and $X = T(X) |_F H(X)$ (see in the Appendix A, the Table 6).

- 235 or of no interest value;¹¹
- 236 iii Blamey (see [12]) proposes **Fi**, as a *simple partial logic*, where the
237 third value U is interpreted as a truth-value gap that is considered
238 as the minimal value (whereas the two truth-values true and false
239 cannot be compared to each other). In this system $C \mid_F A$ is called
240 the *transplication*¹²;
- 241 iv In the linguistic field, Beaver formalize an identical **Fi** system ([7,
242 8, 9]). $C \mid_F A$ is used as an ‘elementary presupposition operator’,
243 defined with a ‘unary operator’ ∂ ¹³.
- 244 v Rescher (see [66, 67]) discusses a *quasi-truth functional* system that
245 is exactly **Fi** but where U is defined as an *undetermined* value (the
246 bracketed entry (T, F) that can be either T or F depending on the
247 circumstances).
- 248 **R system.** The second system is called **R** for Reichebach’s *quantum system*
249 ([64, 65]). It includes as **Fi** the conjunction \wedge_K and disjunction \vee_K but
250 uses two material conditionals: \supset_L and \supset_{Be} ¹⁴. $C \mid_F A$ is called *quasi-*
251 *implication* and can be represented as the observation of an experiment
252 that is true if observation A has given the result C , false if observation
253 A has given the result *not* $-C$ and is meaningless or indeterminate if
254 the observation A has not been made. It is very close to de Finetti’s
255 conditional bet interpretation (see for a discussion the Appendix of [23]).
- 256 **BG system.** This third system developed by the mathematicians Bruno and
257 Gilio ([13]), shares de Finetti’s bet interpretation of the conditional. The
258 disjunction table corresponds to \vee_S and the conjunction to \wedge_B .
- 259 **BF system.** The fourth system has been introduced in the field of logic (the
260 logic of assertion for Belnap [10], and of presupposition for Farrell [37]).
261 In **BF** system, the conjunction and the disjunction correspond to \wedge_S and
262 \vee_S .

¹¹Hailperin introduces a connective Δ which means *don’t care* and can be used to define $C \mid_F A$ thus $C \mid_F A = \Delta(\neg A \vee (A \wedge C)) = \max\{\min A, C\}, \min\{1 - A, U\}$ with $F < U < T$.

¹²In his system, Blamey uses in addition an *interjunction* connective (noted \times) defined by $A \times C = (A \wedge_K U) \vee_K (A \wedge_K C) \vee_K (U \wedge_K C) = (A \vee_K U) \wedge_K (A \vee_K C) \wedge_K (U \vee_K C)$. The conditional can be defined in relation with the *interjunction* $C \mid_F A = [A \wedge_K C] \times [A \supset_K C]$ (see Table 6).

¹³ $C \mid_F A = (\partial(A) \wedge_K C) \vee_K (\partial(A) \vee_K \partial(\neg A))$ (see Table 6).

¹⁴Reichenbach calls \supset_{Be} *alternative* material condition. He adds to the involutive negation (called by Reichenbach *diametrical negation*), two other negations (*Cyclical* $\sim A$ and *Complete* \bar{A}).

263 **Mc system** The Mc system supported by McDermot ([49]) groups **Fi** and
 264 **BF** systems (there are two conjunctions \wedge_K and \wedge_S and two disjunctions
 265 \vee_K and \vee_S together with de Finetti's conditional bet interpretation.

266 **MBV system.** The seventh system proposed by Muskens, Van Benthem and
 267 Visset ([53]) in the linguistics field takes the conjunction \wedge_M and the
 268 disjunction \vee_M .

269 2.1.2. The extended *Farrell* conditional event table

270 In the literature, there is one three-valued logic system that includes the
 271 *Farrell* conditional table.

		C		
		T	U	F
A	T	T	U	F
	U	U	U	F
	F	U	U	U

Table 4. The extended *Farrell* conditional event table $C \mid_{Fa} A$

272 **GNW system.** In a logical approach, with U standing for *inappropriate*, Far-
 273 rell in [38] proposes $C \mid_{Fa} A$ and \wedge_K and \vee_K for conjunction and disjunc-
 274 tion¹⁵. This system, called from now on **GNW**¹⁶, has been independently
 275 proposed by Goodman and colleagues in an algebraic approach where
 276 $C \mid_{Fa} A$ corresponds to a coset that can also be represented by an inter-
 277 val $[A \wedge C, \neg C \vee A]$ (see for example [40]).

278 2.1.3. The extended *Cooper* conditional event table

279 Two three-valued logic systems include the *Cooper* conditional table.

280 **SAC system.** SAC system¹⁷ was initially proposed independently by Cooper
 281 ([20]) and Belnap ([11]) in the field of logico-linguistics and logic, respec-

¹⁵Farrell (1979) introduces also a bi-conditional-equivalence operator based on the con-
 ditional table (see also section 2.2.3).

¹⁶In the AI literature, this system is called **GNW** for Goodman, Nguyen and Walker (see
 for example[18]). For parsimony we adopted also **GNW**.

¹⁷In the AI literature, this system is called **SAC** for Schay, Adams and Calabrese. Adams
 and Schay are associated to this system because both authors independently introduced
 the connectors *quasi conjunction* and *quasi disjunction* that are actually the Sobociński
 connectives. However these authors have never (to our knowledge) given explicitly the
Cooper conditional table (with the 9 cells) or an iterated rule of conditional that allows to

		C		
		T	U	F
A	T	T	U	F
	U	T	U	F
	F	U	U	U

Table 5. The extended *Cooper* conditional event table $C |_C A$

282 tively (see also [30]). The conditional is defined as conditional assertion,
 283 and the third value U means unassertive. \wedge_S and \vee_S define the system.
 284 Independently, Calabrese in numerous papers (see for example [14, 15]
 285 adopts an algebraic approach to the conditional and defines an identical
 286 system where the third truth-value U is used for an *inapplicable* condi-
 287 tional.

288 **Ca system.** Cantwell defines a second system, **Ca** from now on, that sup-
 289 ports $C |_C A$ with \wedge_K and \vee_K as conjunction and disjunction (see
 290 [17, 16]. The third value is interpreted here as a *gap* value.

291 **2.2. Three valued-logic systems and three basic constraints**

292 **2.2.1. The Bayesian *conditioning* constraint on the conjunctive**
 293 **connective**

294 Some intuitive constraints on the conjunctive connective \mathcal{E} have been for-
 295 mulated by [28]: The conjunction connective must respect the five following
 296 constraints: (i) it extends the bi-valued conjunction of propositional logic \wedge ,
 297 (ii) the conjunction of two uncertain conditionals must be uncertain, (iii) it
 298 is commutative and (iv) the conjunction between uncertain and true must
 299 be either true or uncertain and (v) it must follow Bayesian conditioning:

$$P(C \wedge A) = P(C | A)P(A) \tag{II}$$

300 Calling $t(A)$ a usual truth-assignment function, [28] show that the logical
 301 version of (II) is

$$t(C | A \mathcal{E} A | T) = t(C \wedge A | T) \tag{III}$$

construct the *Cooper* conditional table. Note also that Schay ([69]) proposes two additional connectives for conjunction and disjunction that are the Bolchvar (internal) connectives.

302 Now if A is false, $C \wedge A$ is false then $C \mid A$ is equal to U (for the three
303 connectives tables):

304 *The conjunction of false and uncertainty must be false.*

305 Whereas the four types of conjunctive connectives related to our nine three-
306 valued logic systems verify the first four constraints, two of them fail to meet
307 the fifth constraint: The Bochvar (internal) conjunctive $C \wedge_B$ and McCarthy
308 conjunctive $C \wedge_M$ do not respect this constraint. For these two connectives
309 we have: $F \wedge_B U = F \wedge_M U = U$. The two three-valued logic systems **BG** and
310 **MBV** that include Bochvar's (internal) and McCarthy's conjunctions can be
311 removed from our scope.

312 2.2.2. Basic constraint on the *order of the truth-values*

313 A traditional interpretation of disjunctive and conjunctive connectives in
314 the bi-valued logic is to assume an order on the two truth-values $F < T$.
315 Thus the conjunction connective corresponds to a minimum and the disjunc-
316 tion connective to a maximum. The Łukasiewicz-Kleene (strong)-Heiting
317 and Sobociński conjunction and disjunction connectives can also be formu-
318 lated as a minimum and a maximum. In this way the truth-value order for
319 Łukasiewicz-Kleene (strong)-Heiting connectives is $F < U < T$.

320

321 In Sobociński's conjunctive connective, the order is $F < T < U$. How-
322 ever if we interpret the Sobociński disjunction as a maximum, the order
323 must be modified: $U < F < T$. This absence of symmetry can be theoret-
324 ically allowed (see [28]) but seems difficult to justify from a psychological
325 point of view.

326 2.2.3. Basic constraints on the *equivalence connective*

327 As mentioned above, all the nine three-valued systems initially distinguished
328 include a conditional event and a material conditional connective. Except
329 for Farrell ([38]), no author has proposed a bi-conditional event based on the
330 conditional event. However, from a psychological point of view, if people nat-
331 urally interpret the natural language conditional following the conditional
332 event table, they must also interpret the natural bi-conditional as the con-
333 junction of two conditional events. Thus it seems also important to include
334 this additional connective called from now on the *equivalence* connective
335 (noted \parallel). From a Bayesian point of view, the probable equivalence between
336 two events A and C is formulated by the following relation ([48]):

$$P(C \parallel A) = \frac{P(C \wedge A)}{P(C \vee A)} = P(C \wedge A \mid C \vee A) \quad (\text{IV})$$

337 which is supported by experimental data (see for example [48, 70]). By
 338 analogy, we can expect that the equivalence connective verifies a similar
 339 relation:

$$C \parallel A = C \mid A \wedge A \mid C = C \wedge A \mid C \vee A \quad (\text{V})$$

340 Lets consider if this equality is respected for each equivalence connective in
 341 the seven left three-valued logic systems (see Appendix A)).

- 342 • In the **Fi** and **R** systems the equivalence connective $C \parallel_F$ for $(C \mid_F$
 343 $A) \wedge_K (A \mid_F C)$ based on the de Finetti \mid_F conditional corresponds to
 344 $(C \wedge_K A) \mid_F (C \vee_K A)$ (see Table 11)¹⁸.
- 345 • The equivalence connective $C \parallel_{Fa} A$ built on the *Farrell* conditional
 346 $C \mid_{Fa} A ((C \mid_{Fa} A) \wedge_K (A \mid_{Fa} C))$ for the **GNW** system is equal to $(C \wedge_K$
 347 $A) \mid_{Fa} (C \vee_K A)$ (see Table 11).
- 348 • Among the two systems that include the *Cooper* conditional, only the
 349 equivalence of **Ca** $C \parallel_{Ca} A$ is equal to $(C \wedge_K A) \mid_C (C \vee_K A)$ (see Tables
 350 11 and 14)¹⁹.

351 To summarize, only three three-valued logic systems respect the three con-
 352 straints on conjunction, order, and equivalence. They are the **Fi**, **R**, and
 353 **GNW**. The first two systems support *de Finetti* conditional event table and
 354 their difference lies only in the material conditional. Both systems have a
 355 very similar interpretation of the conditional event: the consequent C is
 356 the result of a dynamic process: a bet for de Finetti and an experiment
 357 for Reichenbach. **GNW** proposes the *Farrell* conditional table but shares all
 358 other connectives with de Finetti's three-valued logic system. In **GNW**, the
 359 conditional is either an conditional assertion ([38]) or a mathematical object
 360 similar to an interval ([40]).

¹⁸We can note that $C \parallel_F$ is also equal to the $(C \wedge_B A) \mid_F (C \vee_S A)$ that is not equal to $C \parallel_{BG} A$ (see Table 12). It is the same result with **MBV** system; $(C \wedge_M A) \mid_F (C \vee_M A)$ is equal to $C \parallel_F$ but not to $C \parallel_{MBV}$ (see Table 12). We can also note that $C \parallel_{FB}$ is equal to $C \parallel_F$ but not to $(C \wedge_S A) \mid_F (C \vee_S A)$ (see Table 13). Thus for **Mc** we only have equality when it is reduced to a **Fi** system.

¹⁹It is also identical to $C \parallel_{Fa} A$ (see Table 11).

361 3. The three-valued systems and the experimental results

362 As noted in section 1, the participants in our experiment made judgements
 363 in two scenarios about logically compound statements: negation *not-A*, con-
 364 junction *A & C*, disjunction *A or C*, the natural language conditional *if A*
 365 *then C*, and the material conditional in the form *not-(A & not-C)*. There
 366 was an assertion scenario, where participants were asked to judge whether
 367 a statement was true or false. And there was a bet scenario, where partic-
 368 ipants were asked to assess whether a bet was won or lost. A novel aspect
 369 of our experiment was that the component statements, *A* and *C*, could be
 370 uncertain as well as the compound statements. The statements referred to
 371 chips that had a round or square shape and a black or white colour. The
 372 type of uncertainty we studied was visual: a filter could block the sight of
 373 the shape or colour of a chip.

374
 375 Our main results can be briefly summarized ([4]). Our first main result
 376 was that the participants' responses were parallel in the two scenarios - the
 377 assertion and the bet - for all connectives we reviewed. People treat ques-
 378 tions about the truth or falsity of assertions as similar to questions about
 379 winning or losing bets, and in particular, they treat natural language con-
 380 ditional assertions as similar to conditional bets. This result confirms, at
 381 a much more general level, the findings of [61]). The second main finding
 382 was that people agreed on their interpretation of negation, conjunction, and
 383 disjunction (see below), but were not unanimous on the natural language
 384 conditional, *if S then B*. For *if S then B*, the two main answers correspond
 385 to the conditional table 2 of section 1 (see Table 2) and to the conjunc-
 386 tion table. This finding confirms, again at a more general level, previous
 387 research showing that some people have a conjunctive interpretation of the
 388 conditional for the type of materials we used here. There is evidence that
 389 this interpretation is the result of processing limitations (see [3] for a discus-
 390 sion of this evidence).

391
 392 We have analysed the complete set of tables given by the participants' re-
 393 sponses and have categorized these by how close they were to the tables we
 394 reviewed from the normative literature ([67]), which we summarized above
 395 in Section 2.1.²⁰ The first significant outcome of this analysis is that most

²⁰The proximity corresponds to the number(s) of cell difference(s) with coherent tables of the literature. For example if the conditional table has 0 difference with de Finetti's conditional table, it is classified 'de Finetti'. If it has only one difference with de Finetti's conditional table and that this is the smaller 'distance' it is also classified in the de Finetti

396 of the participants' tables can be classified using the three-valued normative
 397 tables of Section 2.1. Their responses were not scattered over the 243 possi-
 398 bilities. Participants treated uncertainty coherently. In more detail, nearly
 399 all participants reproduced the involutive negation table. For the other con-
 400 nectives, the majority of responses coincided with the three-valued tables of
 401 the **Fi** logic system. These results for conjunction and disjunction confirm
 402 our expectations stated in section 2.2 on the connectives \wedge_K and \vee_K . Recall
 403 that only the three systems (**Fi**, **R** and **GNW**) respect basic constraints. A
 404 second significant fact was the modal responses respected de Finetti's condi-
 405 tional event table, not only for the conditional bet condition but also for the
 406 conditional assertion. Most participants did not treat the natural language
 407 conditional and the material conditional as similar to each other. These
 408 results add to the mounting evidence that ordinary people interpret the nat-
 409 ural language indicative conditional as very close to de Finetti's conditional
 410 event.

411 Conclusion

412 For several decades psychologists have known that people judge that *if A*
 413 *then B* is true when *A* holds and *C* holds, false when *A* holds and *C* does
 414 not, and neither true nor false when *A* does not hold. For the last decade,
 415 there has been growing psychological evidence that people judge that the
 416 probability of the indicative conditional, $P(\textit{if } A \textit{ then } C)$, is the conditional
 417 probability of *C given A*, $P(C | A)$. More recently, psychologists have shown
 418 that there is a close relation between indicative conditionals and conditional
 419 bets. There is a great need to integrate these experimental findings in the
 420 new paradigm in the psychology of reasoning, with its Bayesian point of
 421 view. In our view, integration has been held back because psychologists
 422 did not even raise the general question of which three-valued tables people's
 423 judgements correspond to under uncertainty. We have raised this general
 424 question and have systematically reviewed the relevant three-valued systems
 425 from the normative literature. We have also indicated how we investigated
 426 experimentally which normative tables provide the best descriptive fit for
 427 people's judgements under uncertainty. We are not of course trying to make
 428 normative or logical judgements about which three-valued system should be
 429 preferred for some given interpretation of the third value. Our aim is to
 430 advance the new paradigm in the psychology of reasoning and its goal of a
 431 Bayesian account of ordinary reasoning. The result of our investigation is

bucket.

432 support for de Finetti's three-valued tables in general, and his conditional
433 event table in particular, as descriptive of people's judgements under uncer-
434 tainty.

435 **A. Appendix: Three-valued truth tables**

A	$\neg A$	$\sim A$	\bar{A}	$T(A)$	$H(A)$	$\Delta(A)$	$\partial(A)$
T	F	U	U	T	T	U	T
U	U	F	T	F	F	U	U
F	T	T	T	F	T	F	U

Table 6. The truth tables for the involutive negation, ($\neg A$), Reichenbach ‘cyclic negation’ ($\sim A$), Reichenbach’s ‘complete’ negation (\bar{A}), the unary de Finetti’s Thesis connective ($T(A)$), de Finetti’s hypothesis connective ($H(A)$), Hailperin’s unary connective ‘don’t care’ ($\Delta(A)$), Blamey’s unary ‘presupposition operator’ ($\partial(A)$).

A	C	$A \vee_K C$	$A \wedge_K C$	$A \supset_K C$	$A \Leftrightarrow_K C$	$A \supset_L C$	$A \Leftrightarrow_L C$
T	T	T	T	T	T	T	T
T	U	T	U	U	U	U	U
T	F	T	F	F	F	F	F
U	T	T	U	T	U	T	U
U	U	U	U	U	U	T	T
U	F	U	F	U	U	U	U
F	T	T	F	T	F	T	F
F	U	U	F	T	U	T	U
F	F	F	F	T	T	T	T

Table 7. Łukasiewicz-Heyting-Kleene’s truth tables for disjunction (\vee_K) and conjunction (\wedge_K), Keene’s truth table for implication (\supset_K), Kleene-Bochvar-McCarthy’s truth table for bi-conditional (\Leftrightarrow_K), Łukasiewicz’s truth tables for implication (\supset_L) and bi-conditional (\Leftrightarrow_L).

A	C	$A \vee_B C$	$A \wedge_B C$	$A \supset_B C$	$A \supset_{Be} C$	$A \Leftrightarrow_R C$
T	T	T	T	T	T	T
T	U	U	U	U	F	F
T	F	T	F	F	F	F
U	T	U	U	U	T	F
U	U	U	U	U	T	T
U	F	U	U	U	T	F
F	T	T	F	T	T	F
F	U	U	U	U	T	F
F	F	F	F	T	T	T

Table 8. Bochvar's truth tables for disjunction (\vee_B), conjunction (\wedge_B), implication (\supset_B), Bochvar-Reichenbach's truth tables for 'alternative' implication (\supset_{Be}) and bi-implication (\Leftrightarrow_R).

A	C	$A \vee_S C$	$A \wedge_S C$	$A \supset_S C$	$A \Leftrightarrow_S C$
T	T	T	T	T	T
T	U	T	T	F	F
T	F	T	F	F	F
U	T	T	T	T	F
U	U	U	U	U	U
U	F	F	F	F	F
F	T	T	F	T	F
F	U	F	F	T	F
F	F	F	F	T	T

Table 9. Sobociński's truth tables for disjunction (\vee_S), conjunction (\wedge_S), implication (\supset_S) and bi-conditional (\Leftrightarrow_S).

A	C	$A \vee_M C$	$A \wedge_M C$	$A \supset_M C$
T	T	T	T	T
T	U	T	U	U
T	F	T	F	F
U	T	U	U	U
U	U	U	U	U
U	F	U	U	U
F	T	T	F	T
F	U	U	F	T
F	F	F	F	T

Table 10. McCarthy's truth tables for disjunction (\vee_M), conjunction (\wedge_M) and implication (\supset_M).

A	C	$A \parallel_F C$ $= (A \mid_F C) \wedge_K (C \mid_F A)$ $= (C \wedge_K A) \mid_F (C \vee_K A)$	$A \parallel_{Fa} C$ $= (A \mid_{Fa} C) \wedge_K (C \mid_{Fa} A)$ $= (C \wedge_K A) \mid_{Fa} (C \vee_K A)$ $= A \parallel_{Ca} C$ $= (A \mid_C C) \wedge_K (C \mid_C A)$ $= (C \wedge_K A) \mid_C (C \vee_K A)$
T	T	T	T
T	U	U	U
T	F	F	F
U	T	U	U
U	U	U	U
U	F	U	F
F	T	F	F
F	U	U	F
F	F	U	U

Table 11. Equivalence truth tables for **Fi** system and **R** system (\parallel_F) for **GNW** system (\parallel_{Fa}) and for **Ca** system (\parallel_{Ca}).

A	C	$A \parallel_{BG} C$ $= (A \mid_F C) \wedge_B (C \mid_F A)$ $= A \parallel_{MBV} C$ $= (A \mid_F C) \wedge_M (C \mid_F A)$	$(C \wedge_B A) \mid_F (C \vee_S A)$ $= A \parallel_F C$ $= (C \wedge_M A) \mid_F (C \vee_M A)$
T	T	T	T
T	U	U	U
T	F	U	<u>F</u>
U	T	U	U
U	U	U	U
U	F	U	U
F	T	U	<u>F</u>
F	U	U	U
F	F	U	U

Table 12. Equivalence truth tables for **BG** system (\parallel_{BG}) and **MBV** system (\parallel_{MBV}). \parallel_{BG} is not equal to $(C \wedge_M A) \mid_F (C \vee_M A)$ and \parallel_{MBV} is not equal to $(C \wedge_B A) \mid_F (C \vee_S A)$.

A	C	$A \parallel_{BF} C$ $= (A \mid_F C) \wedge_S (C \mid_F A)$ $= A \parallel_F C$	$(C \wedge_S A) \mid_F (C \vee_S A)$
T	T	T	T
T	U	U	<u>T</u>
T	F	F	F
U	T	U	<u>T</u>
U	U	U	U
U	F	U	U
F	T	F	F
F	U	U	U
F	F	U	U

Table 13. Equivalence truth tables for BF system (\parallel_{BF}). It is not equal to $(C \wedge_S A) \mid_F (C \vee_S A)$.

A	C	$A \parallel_{SAC} C$ $= (A \mid_C C) \wedge_S (C \mid_C A)$	$(C \wedge_S A) \mid_C (C \vee_S A)$ $= (C \wedge_S A) \mid_F (C \vee_S A)$
T	T	T	T
T	U	T	T
T	F	F	F
U	T	T	T
U	U	U	U
U	F	F	<u>U</u>
F	T	F	<u>F</u>
F	U	F	<u>U</u>
F	F	U	U

Table 14. Equivalence for SAC system is not equal to $(C \wedge_S A) \mid_C (C \vee_S A)$.

⁴³⁶ **Acknowledgements.** Financial support for this work was provided by the
⁴³⁷ French ANR agency under grant ANR Chorus 2011 (project BTAFDOC).
⁴³⁸ We should also like to thank Paul Égré, Jean-Louis Stilgenbauer, and Tho-
⁴³⁹ mas Charreau for much discussion and other help in our research, and the
⁴⁴⁰ participants Düsseldorf 2011 Workshop on Conditionals for their comments
⁴⁴¹ on our work.

442 **References**

- 443 [1] ADAMS, A., *A Primer of Probability Logic*, CLSI publications, Stanford, 1998.
- 444 [2] BARATGIN, J., ‘Is the human mind definitely not Bayesian? A review of the various
445 arguments’, *Cahiers de Psychologie Cognitive / Current Psychology of Cognition*, 21
446 (2002), 653–680.
- 447 [3] BARATGIN, J., D. E. OVER, and G. POLITZER, ‘New paradigm psychology of condi-
448 tionals and general de Finetti tables’, *Mind & Language*, (in press).
- 449 [4] BARATGIN, J., D. E. OVER, and G. POLITZER, ‘Uncertainty and the de Finetti
450 tables’, (under review).
- 451 [5] BARATGIN, J., and G. POLITZER, ‘Is the mind Bayesian? The case for agnosticism’,
452 *Mind & Society*, 5 (2006), 1–38.
- 453 [6] BARATGIN, J., and G. POLITZER, ‘The psychology of dynamic probability judgment:
454 Order effect, normative theories and experimental methodology’, *Mind & Society*, 5
455 (2007), 53–66.
- 456 [7] BEAVER, D., *The kinematics of presupposition*, ILLC, Amsterdam, 1992, pp. 17–36.
- 457 [8] BEAVER, D., *Presupposition*, Elsevier Science Publishers, Amsterdam, 1997, pp. 939–
458 1008.
- 459 [9] BEAVER, D., and E. KRAHMER, ‘A partial account of presupposition projection’,
460 *Journal of Logic, Language and Information*, 10 (2001), 147–182.
- 461 [10] BELNAP, N. D., ‘Conditional assertion and restricted quantification’, *Nôus*, 1 (1970),
462 1–12.
- 463 [11] BELNAP, N. D., ‘Restricted quantification and conditional assertion’, in H. Leblanc,
464 (ed.), *Truth, Modality and Syntax*, North-Holland, Amsterdam, 1973, pp. 48–75.
- 465 [12] BLAMEY, S., *Partial logic*, vol. V, Elsevier Science Publishers, Amsterdam, 2001, pp.
466 261–353.
- 467 [13] BRUNO, G., and A. GILIO, ‘Confronto fra eventi condizionati di probabilità nulla
468 nell’inferenza statistica bayesiana’, *Rivista di matematica per le scienze economiche
469 e sociali*, 8 (1985), 141–152.
- 470 [14] CALABRESE, P. G., ‘An algebraic synthesis of the foundations of logic and probabil-
471 ity’, *Information Sciences*, 42 (1987), 3, 187–237.
- 472 [15] CALABRESE, P. G., ‘Deduction with uncertain conditionals’, *Information Sciences*,
473 147 (2002), 1-4, 143–191.
- 474 [16] CANTWELL, J., ‘Conditionals in reasoning’, *Synthese*, 171 (2008), 47–75.
- 475 [17] CANTWELL, J., ‘Indicative conditionals: Factual or epistemic?’, *Studia Logica*, 88
476 (2008), 157–194.
- 477 [18] CHRZĄSTOWSKI-WACHTEL, PIOTR, JERZY TYSZKIEWICZ, ACHIM HOFFMANN, and
478 ARTHUR RAMER, ‘Definability of connectives in conditional event algebras of schay-
479 adams-calabrese and goodman-nguyen-walker’, *Information Processing Letters*, 79
480 (2001), 4, 155–160.
- 481 [19] CIUCCI, D., and D. DUBOIS, ‘Three-valued logics for incomplete information and
482 epistemic logic’, in *JELIA*, 2012, pp. 147–159.
- 483 [20] COOPER, W. S., ‘The propositional logic of ordinary discourse’, *Inquiry*, 11 (1966),
484 295–320.
- 485 [21] DE FINETTI, B., ‘La logique de la probabilité’, in *Actes du Congrès International de*

- 486 *Philosophie Scientifique a Paris 1935, Tome IV*, Hermann et Cie, Paris, 1936, pp. 1–
 487 9. Translated into English by R. B. Angell, *The logic of probabilities*. In *Philosophical*
 488 *Studies* (1995), 181–190.
- 489 [22] DE FINETTI, B., ‘La prévision: Ses lois logiques, ses sources subjectives’, in *Annales*
 490 *de l’Institut Henri Poincaré*, vol. 7, Presses universitaires de France, Paris, 1937, pp.
 491 1–68. Translated into English by Henry E. Kyburg Jr., *Foresight: Its Logical Laws,*
 492 *its Subjective Sources*. In Henry E. Kyburg Jr. and Howard E. Smokler (1964, Eds.),
 493 *Studies in Subjective Probability*, 53–118, Wiley, New York.
- 494 [23] DE FINETTI, B., *Theory of probability*, vol. 1 and 2, Willey Classics Library, New-
 495 York, 1974.
- 496 [24] DE FINETTI, B., *Filosofia della probabilità*, Il Saggiatore, Milan, 1995.
- 497 [25] DE FINETTI, B., *L’invenzione della verità*, Cortina, Milan, 2006.
- 498 [26] DEROSE, KEITH, and R.E. GRANDY, ‘Conditional assertions and “biscuit” condi-
 499 tionals’, *Nôus*, 33 (1999), 405–420.
- 500 [27] DOUVEN, I., and S. VERBRUGGE, ‘The adams family’, *Cognition*, 117 (2010), 302–
 501 318.
- 502 [28] DUBOIS, D., and H. PRADE, ‘Conditional objects as nonmonotonic consequence re-
 503 lationships’, *IEEE Transactions on Systems, Man and Cybernetics*, 24 (1994), 12,
 504 1724–1740.
- 505 [29] DUMMETT, M., ‘Truth’, *Proceedings of the Aristotelian Society, New Series*, 59 (1958-
 506 1959), 141–162.
- 507 [30] DUNN, J. M., ‘Axiomatizing belnap’s conditional assertion’, *Assertion. Journal of*
 508 *Philosophical Logic*, 4 (1975), 343–397.
- 509 [31] EDGINGTON, D., ‘On conditionals’, *Mind*, 104 (1995), 235–329.
- 510 [32] ELLIS, B., ‘The logic of subjective probability’, *The British Journal for the Philosophy*
 511 *of Science*, 24 (1973), 2, 125–152.
- 512 [33] EVANS, J. ST. B. T., ‘Questions and challenges for the new psychology of reasoning’,
 513 *Thinking & Reasoning*, 18 (2012), 1, 5–31.
- 514 [34] EVANS, J. ST. B. T., S. HANDLEY, H. NEILENS, and D. E. OVER, ‘Thinking about
 515 conditionals: A study of individual differences’, *Memory and Cognition*, 35 (2007),
 516 1772–1784.
- 517 [35] EVANS, J. ST. B. T., S. HANDLEY, and D. E. OVER, ‘Conditionals and conditional
 518 probability’, *Journal of Experimental Psychology: Learning, Memory, and Cognition*,
 519 29 (2003), 321–335.
- 520 [36] EVANS, J. ST. B. T., and D. E. OVER, *If*, Oxford University Press, Oxford, 2004.
- 521 [37] FARRELL, R. J., ‘Implication and presupposition’, *Notre Dame Journal of Formal*
 522 *Logic*, 27 (1986), 1, 51–61.
- 523 [38] FARRELL, R. J., ‘Material implication, confirmation, and counterfactuals’, *Notre*
 524 *Dame Journal of Formal Logic*, 20 (1986), 2, 383–394.
- 525 [39] FUGARD, J. B., N. PFEIFER, B. MAYERHOFER, and G. KLEITER, ‘How people inter-
 526 pret conditionals: Shifts towards the conditional event’, *Journal of Experimental*
 527 *Psychology: Learning, Memory, and Cognition*, 37 (2011), 635–648.
- 528 [40] GOODMAN, I. R., H. T. NGUYEN, and E. A. WALKER, *Conditional inference and*
 529 *logic for intelligent systems- a theory of measure-free conditioning*, North-Holland,
 530 1991.

- 531 [41] HAACK, S., *Deviant Logic*, Cambridge University Press, Cambridge, 1974.
- 532 [42] HAILPERIN, T., *Sentential Probability Logic: Origins, Development, Current Status,*
533 *and Technical Applications*, Lehigh University Press, 1996.
- 534 [43] HAILPERIN, T., *Logic with a Probability Semantics*, Rowman & Littlefield Publishing
535 Group, Incorporated, 2010.
- 536 [44] HOLDCROFT, D., and P. LONG, ‘Truth’, *Proceedings of the Aristotelian Society, Sup-*
537 *plementary Volumes*, 45 (1971), 123–147.
- 538 [45] JEFFREY, R. C., ‘On indeterminate conditionals’, *Philosophical Studies*, 14 (1963),
539 37–43.
- 540 [46] JOHNSON-LAIRD, P. N., and P. C. WASON, ‘A theoretical analysis of insight into a
541 reasoning task’, *Cognitive Psychology*, 1 (1970), 134–148.
- 542 [47] KNEALE, W., and M. KNEALE, *The Development of Logic*, Oxford University Press,
543 USA, Oxford, 1962.
- 544 [48] KOSKO, B., ‘Probable equivalence, superpower sets, and superconditionals’, *Internat-*
545 *ional Journal of Intelligent Systems*, 19 (2004), 1151–1171.
- 546 [49] MCDERMOTT, M., ‘On the truth conditions of certain ‘if’-sentences’, *The Philosoph-*
547 *ical Review*, 105 (1996), 1, 1–37.
- 548 [50] MILNE, P., ‘Bruno de Finetti and the logic of conditional events’, *The British Journal*
549 *for the Philosophy of Science*, 48 (1997), 195–232.
- 550 [51] MILNE, P., ‘Indicative conditionals: a request for more experiments’, *Thinking &*
551 *Reasoning*, 48 (1997), 195–232.
- 552 [52] MORGAN, C. G., ‘Local and global operators and many-valued modal logics’, *Notre*
553 *Dame Journal of Formal Logic*, 20 (1979), 2, 401–411.
- 554 [53] MUSKENS, R., J. VAN BENTHEM, and A. VISSER, *Dynamics*, Logic Group preprint
555 series, Department of Philosophy, Utrecht University, 1996.
- 556 [54] OAKSFORD, M., and N. CHATER, *Bayesian Rationality: The Probabilistic Approach*
557 *to Human Reasoning*, Oxford University Press, Oxford, 2007.
- 558 [55] OAKSFORD, M., and N. CHATER, ‘Précis of bayesian rationality: The probabilistic
559 approach to human reasoning: The probabilistic approach to human reasoning’,
560 *Behavioral and Brain Sciences*, 32 (2009), 69–84.
- 561 [56] OBERAUER, K., and O. WILHELM, ‘The meaning(s) of conditionals: Conditional
562 probabilities, mental models and personal utilities’, *Journal of Experimental Psy-*
563 *chology: Learning, Memory and Cognition*, 29 (2003), 668–693.
- 564 [57] O’CONNOR, D. J., ‘The analysis of conditional sentences’, *Mind*, 60 (1951), 351–362.
- 565 [58] OVER, D. E., ‘New paradigm psychology of reasoning’, *Thinking & Reasoning*, 15
566 (2009), 431–438.
- 567 [59] OVER, D. E., C. HADJICHRISTIDIS, J. ST. B. T. EVANS, S. J. HANDLEY, and S. A.
568 SLOMAN, ‘The probability of causal conditionals’, *Cognitive Psychology*, 54 (2007),
569 62–97.
- 570 [60] PFEIFER, N., and G. D. KLEITER, *The conditional in mental probability logic*, Oxford
571 University Press, Oxford, 2010, pp. 153–173.
- 572 [61] POLITZER, G., D. OVER, and J. BARATGIN, ‘Betting on conditionals’, *Thinking &*
573 *Reasoning*, 16 (2007), 172–197.
- 574 [62] QUINE, W. V. O., *Methods of logic*, Holt, New-York, 1950.
- 575 [63] RAMSEY, F. P., ‘Truth and probability’, in D.H. Mellor, (ed.), *Philosophical Papers*,

- 576 Cambridge University Press, Cambridge, 1926/1990, pp. 52–94.
- 577 [64] REICHENBACH, H., *Philosophic foundations of quantum mechanics*, University of Cal-
578 ifornia Press, 1944.
- 579 [65] REICHENBACH, H., ‘Les fondements logiques de la mécanique des quanta’, *Annales*
580 *de l’institut Henri Poincaré*, 13 (1952-1953), 2, 109–158.
- 581 [66] RESCHER, N., ‘Quasi-truth-functional systems of propositional logic’, *The Journal of*
582 *Symbolic Logic*, 27 (1962), 1–10.
- 583 [67] RESCHER, N., *Many-valued logic*, McGraw-Hill, 1969.
- 584 [68] ROTHSCHILD, D., ‘Capturing the relationship between conditionals and conditional
585 probability with a trivalent semantics’, *Journal of Applied Non-Classical Logics*, (in
586 press).
- 587 [69] SCHAY, G., ‘An algebra of conditional events’, *Journal of Mathematical Analysis and*
588 *Applications*, 24 (1968), 334–344.
- 589 [70] TAKAHASHI, T., KOHNO Y., and K OYO, ‘Causal induction heuristics as propor-
590 tion of assumed-to-be rare instances (paris)’, in *Proceedings of the 7th International*
591 *Conference on Cognitive Science (ICCS2010)*, 2010, pp. 361–362.
- 592 [71] WASON, P. C., ‘Reasoning’, in B. Foss, (ed.), *New Horizons in Psychology*, Penguin,
593 Harmondworth, 1966, pp. 135–151.

594 JEAN BARATGIN
Paragraphe & Institut Jean Nicod
Paris 8 University
UFR de Psychologie, Université Paris 8, 2, rue de la Liberté, 93526
Saint-Denis cedex.
Saint-Denis, France
jean.baratgin@univ-paris8.fr

595 GUY POLITZER
Institut Jean Nicod
École Normale Supérieure
Institut Jean-Nicod - Pavillon Jardin, École Normale Supérieure, 29,
rue d’Ulm, 75005 Paris.
Paris, France
guy.politzer@univ-paris8.fr

596 DAVID OVER
Department of Psychology
Durham University
Department of Psychology, Durham University Science Site, South
Road, DH1 3LE, Durham.
Durham, United Kingdom
david.over@durham.ac.uk